

Syntactic and Semantic-based approaches for Geoinformation Management



Surya S. Durbha, PhD

Associate Professor
CSRE, IITB



Outline

- ❖ Background
- ❖ Standards-based Geospatial Approaches
- ❖ Sensor Web enablement of GeoSensors
- ❖ Need for Semantic approaches for integrating Geoinformation

Earth Observation from Multiple Vantage Points



- ❑ Multiple vantage points for Earth observation leads to widespread real time sensors and multiple archives of imagery and other datasets.

Keywords

❑ Geographical Information Systems Spatial Data, Vector, Raster

Standards, information sharing


❑ OGC, Web Services, Interoperability

❑ Data Integration, Decision Support

Geoinformatics
Information
Systems,
Computer
Science,
Remote
Sensing

Overview and Definition of GIS

- It brings together the ideas developed in various fields
- Focus of GIS activity centers around
 - Hardware and software
 - Information processing
 - Applications



Environmental Attributes

Map Layer

Geology

Hazard Areas

Existing Land Use

Noise Contours

Floodplain


Soils

Vegetation







Surficial Hydrology

EI Study Areas

Planning Study Index Refer



Spatial Data Layers



What Does A GIS Do?


GIS can answer the following questions:

1. **Location** - What is at a given location?
2. **Condition** - Where does it occur?
3. **Routing** - What is the best way?
4. **Trend** - What has changed?
5. **Pattern** - What is the pattern?
6. **Modeling** - What happens if ?



Who needs access to coordinated geographic information?

- Land Records Adjudication
- Disaster Response
- Transportation Management
- Water, gas & electric planning
- Public Protection
- Defense
- Natural Resource Management
- Telecommunications Infrastructure
- Economic Development
- Civic Entrepreneurs
- Regional Stewards





Standards based Geospatial approaches

Geospatial Interoperability

❑ **Geospatial Interoperability enables** disparate and geographically distributed systems/information sources to use and exchange geospatial information


❑ Standards-driven geospatial web services provide interoperability and the ability to harmonize varied data sources.

❑ Interoperability enables to build cost effective systems, and helps to reduce redundancy in an organizations spatial infrastructure.


❑ Geospatial Web services is the de facto way to access and publish:

❑ Data, Services and metadata

❑ Spatial Data Infrastructures (SDI) are adopting these standards to facilitate interoperability with other SDI systems world wide.



Non-interoperable Systems



Connected Systems

Understanding the context for information discovery

Need information about roads that are NOT flooded for rapid evacuation

Disaster
Management

Context 1



Web Service

Web service that provides data about traffic and road condition based on several parameters

Context 2

...Context N



The Open Geospatial Consortium (OGC)

Vision:

Develops standards for geospatial web services

Mission:


A world in which everyone benefits from geographic information and services made available across any network, application, or platform

- ❑ Need to integrate Geospatial data from heterogeneous data sources.
- ❑ Incompatibilities in structural, syntactical and semantic representation hinders interoperability.
- ❑ Lack of interoperability impedes development of integrated decision support systems, reduces the ability to respond to time critical events and in general provide the right information at the right time.

Web Services


Services, Interfaces and Operations

- ❑ **Service** - distinct part of the functionality that is provided by an entity through interfaces,
- ❑ **Interface** - named set of operations that characterize the behavior of an entity
- ❑ **Operation** - transformation or query that an object may be called to execute. Each operation has a name and a list of parameters.



"A service is a function that is well-defined, self-contained, and does not depend on the context or state of other services."-Source: Web Services and Service-Oriented Architecture: The Savvy Manager's guide

Web Services



- ❑ A service registry is a directory of services available in an SOA system.
- ❑ It contains the physical location of services, versions and validity periods of services, service documentation, and policies.
- ❑ A service registry is one of the main building blocks of an SOA architecture.


SOA and XML

- ❑ SOA needs a common platform to base its infrastructure.
- ❑ XML is the foundation for virtually all web services standards, such as:
 - ❑ XML schema, SOAP, Web Services Description Language (WSDL), and Universal Description, Discovery, and Integration (UDDI).
- ❑ XML resolves the challenge of working with different data formats in different applications across multiple platforms.
- ❑ XML has the benefit of ease of representation, being text-based, flexible, and extensible by nature.

Representational State Transfer(REST)

- ❑ The acronym REST stands for Representational State Transfer, this basically means that each unique URL is a representation of some object.
- ❑ In RESTful web services, the emphasis is on simple point-to-point communication over HTTP using XML
- ❑ You can get the contents of that object using an HTTP GET, to delete it, you then might use a POST, PUT, or DELETE to modify the object

- REST Web service follows four basic design principles:
 - Use HTTP methods explicitly.
 - **Be stateless.**
 - Expose directory structure-like URIs.
 - Transfer XML, JavaScript Object Notation (JSON), or both.




GET/POST operations (REST)

- ❑ GET is a read-only operation. It can be repeated without affecting the state of the resource and can be cached
- ❑ POST is a read-write operation and may change the state of the resource and provoke side effects on the server.


- ✧ To create a resource on the server, use POST.
- ✧ To retrieve a resource, use GET.
- ✧ To change the state of a resource or to update it, use PUT.
- ✧ To remove or delete a resource, use DELETE.

OGC Web Services (OWS)




Web Map Service (WMS)
Web Feature Service (WFS)
Web Coverage Service (WCS)
Catalogue (CSW)
Geography Markup Language (GML)
OGC KML
Others...

Relevant to geospatial information applications: Critical Infrastructure, Emergency Management, Weather, Climate, Homeland Security, Defense & Intelligence, Oceans Science, others



OGC Web Services




Geospatial Web Services


Web based services with a focus on geospatial information



1. Data Discovery: Provide search and discovery to geospatial data and services



1. Data Visualization – Provide visualization images of the actual geospatial data




1. Data Access – Provides access to the actual geospatial data


Geospatial Web Services Types

**User
Applications**


**Geospatial
Web Services**

**Content
Repositories**







Web Map Service (WMS) can get multiple maps





Standards based Web Services



A community website which calculates water quality for a given community
Uses Gazetteer service, Water Quality Index Service
Web Map Service based on Geographical Names, Road network features
Base maps







 Add Layer  Add Content


User Added Content and Layers

- ☐ University
- ☐ Worship places
- ☐ Others

User Added Layers

☒ as_hz

☐ 0.7  





bhuvan

Gateway to Indian Earth Observation

Welcome User [Login](#) [En](#) [Hi](#) [Ta](#) [Te](#)

National Remote Sensing Centre

Bhuvan-2D

Enter City or Lat,Lon(ex:chennai or

[Tools](#) | [Updates](#) | [Bhuvan Store](#) | [Link](#) | [Help](#) | [Bhuvan Collaborators](#)

Add Layer


Add Content

User Added Content and Layers

- ☐ University
- ☐ Worship places
- ☐ Others

User Added Layers

- ☒ as_hz
- ☐ 0.7




Welcome to Bhuvan | ISRO's Geoportal | Gateway



← → ↺ ↻ ↩

bhuvan.nrsc.gov.in/map/bhuvannew/bhuvan2d.php#

☆ ● ☰


 **bhuvan**
Gateway to Indian Earth Observation


Welcome User [Login](#) [En](#) [Hi](#) [Ta](#) [Te](#)

National Remote Sensing Centre

Tools | Updates | Bhuvan Store | Link | Help | Bhuvan Collaborators

 Add Layer

 Add Content

User Added Content and Layers

☐ University

☐ Worship places

☐ Others

User Added Layers

☒ as_hz

×

0.7

+

WMS Manager

Bhuvan Catalogue provides some of the WMS Services available, User can input WMS URL for listing the Layers.

☐ Search Catalogue

☒ Input WMS URL

WMS Services

Select Provider from Catalogue

WMS URL

http://bhuvan5.nrsc.gov.in/bhuvan/wms?

eg: http://bhuvan5.nrsc.gov.in/bhuvan/wms?

Load Layers

Clear List

Remove Layers

WMS URL: http://bhuvan5.nrsc.gov.in/bhuvan/wms?

The above WMS Service URL can be shared with Public through Bhuvan Catalogue.

If you agree to share Please click 'Agree' button.

After validation this Service will be populated in the Catalogue.

Agree

Overlay	Layername
	http://bhuvan5.nrsc.gov.in/bhuvan/wms
<input type="checkbox"/>	vector:ALL_Wildlife_NP_Conservation_Reserve_HP
<input type="checkbox"/>	vector:AM_LS
<input type="checkbox"/>	vector:AN_CMEDK_0506


Map

Satellite

Hybrid


Terrain

More



as_hz

94.83, 25.20




 Add Layer  Add Content

WMS Manager ✕

[Map](#) [Satellite](#) [Hybrid](#) [Terrain](#) [More](#)

<input type="checkbox"/>	ncr:NCR_LU_12_I
<input type="checkbox"/>	ncr:NCR_ROAD_RTN
<input type="checkbox"/>	ncr:NCR_Rail
<input type="checkbox"/>	vector:NDVI_AUG08_MO
<input type="checkbox"/>	vector:NDVI_AUG08_NA
<input type="checkbox"/>	vector:NDVI_AUG09_MO
<input type="checkbox"/>	vector:NDVI_AUG09_NA
<input type="checkbox"/>	vector:NDVI_AUG10_MO
<input type="checkbox"/>	vector:NDVI_AUG10_NA
<input type="checkbox"/>	vector:NDVI_AUG11_MO
<input type="checkbox"/>	vector:NDVI_AUG11_NA
<input type="checkbox"/>	vector:NDVI_AUG12_MO
<input type="checkbox"/>	vector:NDVI_AUG12_NA
<input type="checkbox"/>	vector:NDVI_JUL08_MO
<input type="checkbox"/>	vector:NDVI_JUL08_NA
<input type="checkbox"/>	vector:NDVI_JUL09_MO
<input type="checkbox"/>	vector:NDVI_JUL09_NA
<input checked="" type="checkbox"/>	vector:NDVI_JUL10_MO
<input type="checkbox"/>	vector:NDVI_JUL10_NA
<input type="checkbox"/>	vector:NDVI_JUL11_MO
<input type="checkbox"/>	vector:NDVI_JUL11_NA
<input type="checkbox"/>	vector:NDVI_JUL12_MO
<input type="checkbox"/>	vector:NDVI_JUL12_NA





bhuvan

Gateway to Indian Earth Observation

Welcome User [Login](#) [En](#) [Hi](#) [Ta](#) [Te](#)

National Remote Sensing Centre



[Tools](#) | [Updates](#) | [Bhuvan Store](#) | [Link](#) | [Help](#) | [Bhuvan Collaborators](#)

Bhuvan-2D


[Add Layer](#) [Add Content](#)

WMS Manager



[Map](#) [Satellite](#) [Hybrid](#) [Terrain](#) [More](#)


- ☐ vector:WB_WCSOR_DOF
- ☐ vector:WB_WS
- ☐ vector:WGEEP_ESZs
- ☐ vector:WG_elep
- ☐ vector:WG_tiger
- ☐ vector:Watershed_HP
- ☐ vector:Western_Himalaya_Boundary_HP
- ☐ vector:Western_Himalaya_Landscape_HP
- ☒ vector:Wildlife_Sanctuary_HP
- ☐ vector:admd5km
- ☐ vector:city_hq
- ☐ vector:country
- ☐ organization:csirb
- ☐ vector:damage_location
- ☐ vector:damage_road
- ☐ vector:forest_damage
- ☐ organization:ganga_basin_clip
- ☐ vector:hospital
- ☐ vector:hp_wshed
- ☐ vector:india_state_new
- ☐ vector:indianhimalayas_GLWB
- ☐ vector:kar_roads
- ☐ vector:kar_wl_geo



Bhuvan

as_hz

74.51, 33.88



Many Application Areas



Vehicle, asset, person & pet
monitoring & controlling



Agriculture automation



Energy consumption



Security &
surveillance



Building management



Embedded
Mobile

Internet of things

Everyday things
get connected for smarter
tomorrow



M2M & wireless
sensor network




Everyday things




Smart homes & cities



Telemedicine & healthcare




The problem



Sensor Webs

- Sensors connected to and discoverable on the Web
- Sensors have position & generate observations
- Sensor descriptions available
- Services to task and access sensors
- Local, regional, national scalability




Automobile
As Sensor Probe



Environmental
Monitor




Traffic
Monitoring




Webcam



Health
Monitor



Satellite-borne Imaging Device



Sensor Web Vision I

- ⊕ Sensors will be web accessible
- ⊕ Sensors and sensor data will be discoverable
- ⊕ Sensors will be self-describing to humans and software (using a standard encoding)
- ⊕ Most sensor observations will be easily accessible in real time over the web


Sensor Web Vision II

- ⊕ Standardized web services will exist for accessing sensor information and sensor observations
- ⊕ Sensor systems will be capable of real-time mining of observations to find phenomena of immediate interest
- ⊕ Sensor systems will be capable of issuing alerts based on observations, as well as be able to respond to alerts issued by other sensors

Sensor Web Vision III


- ⊕ Software will be capable of on-demand geolocation and processing of observations from a newly-discovered sensor without *a priori* knowledge of that sensor system
- ⊕ Sensors, simulations, and models will be capable of being configured and tasked through standard, common web interfaces
- ⊕ Sensors and sensor networks will be able to act on their own (i.e. be autonomous)

Building Blocks: OGC SWE




User Environment

In Situ Collection Environment




Source: crisisgrid.org

Forest Fire Monitoring



Jirka, S., Broring, A., Stasch, C.: Applying OGC Sensor Web Enablement to Risk Monitoring and Disaster Management. In: GSDI 11 World Conference, Rotterdam, Netherlands (June 2009)


Flood Monitoring and Prediction



Source: Nataliia Kussul, Andrii Shelestov, Sergii Skaku

THE SENSOR WEB TESTBED FOR FLOOD MONITORING AND PREDICTION

Water Quality Monitoring




Jirka, S., Broring, A., Stasch, C.: Applying OGC Sensor Web Enablement to Risk Monitoring " and Disaster Management. In: GSDI 11 World Conference, Rotterdam, Netherlands (June 2009)

'IMpacting Research, INnovation and Technology' (IMPRINT-India)

Domain: Water Resources and River Systems

MHRD has entrusted IITs and IISc to identify the needs of the country in research and technology requirements so as to enable proper planning for manpower, research infrastructure and resources in ten domains of national interest. The outcome of this exercise would be policy documents on education and research.



IMPacting Research, INnovation and Technology' (IMPRINT-India)

Major Science Questions

- ★ What are the key gaps in data availability, monitoring and dissemination at various spatial and temporal scales that affect water resources and river systems?
- ★ To what extent water availability and water demands changed historically and how these are likely to change in future?
- ★ How sensitive are the river basins towards changes in land-use/ land- cover and climate?

IMPACTING Research, INnovation and Technology' (IMPRINT-India)

IMPRINT INDIA DOMAIN # WATER RESOURCES AND RIVER SYSTEMS


An impending water crisis stares the country in her face today. To illustrate: many of our rivers and water bodies are heavily polluted, posing severe health problems; many cities and towns face acute water shortage every year; much of the population has no access to safe drinking water; overexploited groundwater resources are affecting agricultural output in large tracts of the country; and rapidly vanishing water bodies have gravely damaged aquatic ecosystems and their resilience. The low efficiencies of irrigation water use and poor water management practices and policies at all levels have contributed to the overall aquatic crisis. The focus of the IMPRINT initiative in this domain is to evolve appropriate educational and research policies that can overcome the critical challenges of water resources and river systems.

Themes

- ★ River Basins
- ★ Water in Urban Systems
- ★ Water in Rural Ecosystems
- ★ Water & Agriculture
- ★ Water & Industry
- ★ Spatial Data Infrastructure for Real-Time Data Acquisition and Dissemination

Grand Challenges

- ★ Close water and nutrient loop in agriculture, rural, urban and industrial sectors
- ★ Define, maintain and improve the health of water bodies
- ★ Convert rapid flows to sluggish flows to increase water availability for human and ecosystems
- ★ Increase water-use efficiency through cost effective technology, interventions, measurements, pricing mechanisms, informed opinions and public policies
- ★ Recognize and disseminate traditional knowledge and practices regarding management of water and water bodies



Valuing Water

Water is not only a commodity, but its true value also includes social, cultural, environmental and economic values. All of these must be considered in appraising different policies and initiatives to realize the goals of Integrated Water Resources Management (IWRM) – social equity, environmental sustainability and economic efficiency. Unfortunately, this is rarely done in many developing countries where poor people suffer the most.

Governance

The water crisis in many countries today is largely a governance problem. National responses to water-related disasters and shortages, allocation of transboundary water resources, management of national water resources, and building capacity and knowledge should all be jointly shared by governments and civil society. In reality,

Major Science Questions

- ★ What are the key gaps in data availability, monitoring and dissemination at various spatial and temporal scales that affect water resources and river systems?
- ★ To what extent water availability and water demands changed historically and how these are likely to change in future?
- ★ How sensitive are the river basins towards changes in land-use/ land-cover and climate?



Preparation of Policy Document on Education & Research

- ★ Assessment of present status and setting benchmarks for engineering, innovation and education
- ★ Identification of - R&D gaps, policy gaps and implementation issues
- ★ Articulate shift in human resource development policy at various levels - school to higher education, vocational, etc.
- ★ Re-adjust focus, identify needs (infrastructure, financial and human resources) and set timelines for R&D
- ★ Suggest measures for addressing implementation issues



Knowledge & Capacity Development

IMpacting Research, INnovation and Technology' (IMPRINT-India)

- ★ **Spatial Real-Time Data Infrastructure**
With huge gaps in data and scanty real-time data, water resource and river management lie at the mercy of thumb rules and guesstimates. A robust quality-controlled data collection system with real-time open access underlies all future knowledge-based approaches.

IMpacting Research, INnovation and Technology' (IMPRINT-India)


- ❖ *Discovery and access mechanisms for sensors and data within and across wireless sensor networks (WSNs)_*
- ❖ *Development of standardized catalogue or sensors registry, for querying services, individual sensors, and spatio-temporal data*
- ❖ *Ability to retrieve the lineage of sensor observations (Data provenance)*
- ❖ *Automatic sensor installation, configuration and operation XGC*
- ❖ *Integrating diverse sensors into observation systems*
- ❖ *Integrating data from sensor networks into the National Spatial Data Infrastructure (NSDI)*
- ❖ *Event based-notification and alerts*
- ❖ *Ability to support on-demand processing of sensor observations accessed from disparate and sensor networks belonging to multiple domains (e.g. Water and environment)*
- ❖ *Development of remotely taskable sensor systems (GC)*

Heterogeneous Sensor Network



- mobile / stationary
- remote / in-situ
- single / multiple
- extensible

Models & Simulations



- local / regional / global
- static / parameterizable
- adaptable / fixed
- nested

Sensor Web Enablement

- discovery
- access
- tasking
- alerting

Web Services and encodings
based on open standards
(OGC, OASIS, IEEE, ...)

Decision Support & Fusion & Analysis Tools





Geosemantic Web

Semantic Interoperability

*“Although standards from bodies like the OGC provide the basis for **syntactic interoperability** the usability of information that is created in **one context** is often of **limited use** in another context because of insufficient means for meaningful interpretation”*

(Bernard, Einspanier, Haubrock, et al., 2003),

Image search: Tiger

Images Showing: All image sizes

Results 22 - 42 of about 44,700,000 for tiger. (0.03 seconds)

Related searches: [white tiger](#) [tiger cub](#) [cartoon tiger](#) [baby tiger](#)



Tigers firing in Russia
600 x 307 - 20k - jpg
www.fprado.com

[[More from www.fprado.com](#)]



The Tiger I, hunting on the ...
532 x 301 - 21k - jpg
www.fprado.com



Welcome to the Tiger I Information ...
600 x 387 - 77k - jpg
www.alanhamby.com



Siberian tiger in snow
550 x 361 - 28k - jpg
advocacy.britannica.com



Photo: Tiger shark just below the ...
470 x 324 - 28k - jpg
animals.nationalgeographic.com
[[More from animals.nationalgeographic.com](#)]



Royal Bengal tiger
432 x 489 - 30k - jpg
www.solarnavigator.net



Tiger and Earl Woods
300 x 300 - 48k - jpg
sports.espn.go.com
[[More from assets.espn.go.com](#)]



Insert your Tiger (10.4) install ...
500 x 522 - 59k - png
overstimulate.com



... by Tatiana the tiger at the San ...
376 x 394 - 39k - gif
catsworking.wordpress.com



Tiger drawing
1600 x 1200 - 314k - jpg
felinos.files.wordpress.com



Bengal Tigers have unique markings.
800 x 546 - 343k - gif
library.thinkquest.org



Tiger I, used for training of ...
392 x 420 - 24k - jpg
www.fprado.com




Tiger Woods tied Arnold Palmer for ...
300 x 300 - 17k - jpg
sports.espn.go.com



Thus, the Tiger Shark consumes ...
450 x 300 - 24k - jpg
www.elasmo-research.org



The featured mode in Tiger 2005 is ...
440 x 330 - 102k - jpg
pc.gamespy.com



Print pattern for the Tiger Cub ...
395 x 541 - 27k - jpg
www.kidsdomain.com



The Top Gun Tiger cluster size is ...
356 x 433 - 42k - jpg
www.theregister.co.uk



Like the other big cats, tigers are ...
400 x 308 - 24k - jpg
www.21stcenturytiger.org



Types of Tigers
350 x 350 - 21k - jpg
greennature.com



ears opened on tiger
400 x 313 - 7k - jpg
www.origami-instructions.com




Eye of the tiger
450 x 300 - 97k - gif
www.uga.edu

◀ Goooooooooooooole ▶
[Previous](#) 1 2 3 4 5 6 7 8 9 10 11 [Next](#)

Semantic Web

- ❑ Semantic means *meaning*
- ❑ Meaning enables a more effective use of the underlying data. Meaning is often absent from most information sources, requires users or complex programming instructions to supply it.
- ❑ Semantics give a keyword symbol useful meaning through the establishment of relationships. (e.g. Building, Bank, etc)

Ontologies for Enhanced GI Discovery



“Typical’ Geospatial Query (Intelligence / Logistics Domain)

“Which airfields within 500 miles of Kandahar support C5A aircraft?”

Aero Feature or
Geo Feature?

Buffer or
proximity?

Statutory or Nautical?
Straight-line or driving?
Coordinate system?

Feature
property or non-
-spatial
information?

What does this
mean to a GIS ?

Afghanistan?
Centroid or outline?

“Typical’ Analyst Query:

“Which hospitals within 30 mins of Alpine, CA provide burn treatment?”

Feature Reference
Type?

Buffer or
proximity?

Driving or Flying?
Road Closures?

What does
this mean?


Definition?

Where is this?
Centroid or outline?


Which hospitals within 30 mins of Alpine, CA provide burn treatment?”

- We need to associate a number of factors, including hospital type and facilities – its accessibility after a disaster – and the staff available
- The query needs to be structured based on Concepts & Relationships that can be retrieved and then customized for the specific query.
- Using this approach, a listing of the hospitals capable of dealing with large number of burn cases is returned to the user and information associated with the query retrieved.


Semantic heterogeneities




Example Ontology for Natural Disasters




Example Ontology for Volcanoes



Semantic Conflicts



GoMoos buoy data served through Distributed Oceanographic Data System (DODS)



NDBC



A concept called *WaterTemperature*

A-Box and T-Box

SPARQL A-Box Query

- ❑ SPARQL is a protocol and query language for semantic web data sources.
- ❑ Based on matching graph patterns.

```
PREFIX rdfs:<http://www.w3.org/2000/01/rdf-  
scheme#>  
PREFIX  
bu:<http://cosem.erc.msstate.edu/ontologies/cosemont.owl#>  
SELECT *  
FROM <file:/c:/ontologies/cosemont.owl>  
WHERE  
{  
  ?s bu:hasStationID ?g.  
  ?s bu:waterTemperature ?WaterTemperature.  
  ?g bu:latitude ?la.  
  ?g bu:longitude ?lo  
  FILTER(?WaterTemperature>20)  
}
```

Name	Syntax	Semantics
TBox		
Class Equivalence	$C \equiv D$	$C^I = D^I$
Class Subsumption	$C \sqsubseteq D$	$C^I \subseteq D^I$
Property Equivalence	$P \equiv R$	$P^I \equiv R^I$
Property Subsumption	$P \sqsubseteq R$	$P^I \subseteq R^I$
ABox		
Individual assertion	$C(i)$	$i^I \in C^I$
Property filler	$R(a, b)$	$(a^I, b^I) \in R^I$
Individual equivalence	$i = j$	$i^I = j^I$
Individual inequivalence	$i \neq j$	$i^I \neq j^I$

CosemWare-BuoyApplication - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address <http://localhost:8888/edu.msstate.gri.BuoyApplication/BuoyApplication.html>

Ontology Archived Data Help

Class Hierarchy

- owl:Thing
 - Buoy
 - SensorMeasurements
 - Atmospheric
 - AirDensity
 - AirPressure
 - AirTemperature
 - AtmosphericPressure
 - CloudCover
 - DewPoint
 - DewPointTemperature
 - DownwardLongWave
 - DownwardShortWave
 - HeatIndex
 - LatentHeatFlux
 - NetHeatFlux
 - NetLongWaveRadiation
 - NetShortWaveRadiation
 - PrecipitationRate
 - PressureTendency
 - RelativeHumidity
 - Wind
 - Chemical
 - Electromagnetic

Concept Details Buoy Map Visualization

Enter an address to geocode:

Tree Item Query

```

PREFIX :
<http://cosem.erc.msstate.edu/ontologies/cosem.owl#>
SELECT ?hasStationID ?lat ?lon ?
atmospress
FROM
<file:///D:/work/owlfiles/Cosem.owl>
WHERE{
  ?x :hasmeasuredBY 'barometer'.
  ?x :hasStationID ?hasStationID .
  ?hasStationID :latitude ?lat;
  :longitude ?lon.

```

"hasStationID"	"lat"
http://cosem.erc.msstate.edu/ontologies/cosem.owl#stationID_41001	34.68N
http://cosem.erc.msstate.edu/ontologies/cosem.owl#stationID_32301	9.9S
http://cosem.erc.msstate.edu/ontologies/cosem.owl#stationID_41002	32.31N

Sensor Web Query Results(XML) Table

Parameters

Offerings

- windDirection
- windSpeed
- windGust
- waveHeight
- dominantWavePeriod

Stations

- EB53
- 42007
- EB92
- 42016
- 42039

Temporal Subset Duration Comparison Filter Spatial

Temporal Subsetting

- None
- After
- Before
- During
- TEquals

Time period

YYYY MM MM HH MIN SEC

XML Query

Example SPARQL Query (Scenario: "Find devices that can produce certain output variables")

Coastal Semantic Middleware

CosemWare-BuoyApplication - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address <http://localhost:8888/edu.msstate.gri.BuoyApplication/BuoyApplication.html> Go Links

Ontology Edit Help

Class Hierarchy

- owl:Thing
 - Buoy
 - SensorMeasurements
 - Atmospheric
 - Chemical
 - Electromagnetic
 - Oceanographic
 - Current
 - Salinity
 - Water
 - WaterDensity
 - WaterPressure
 - WaterTemperature
 - Waves
 - AveragePeriod
 - BuoyOwnedAndMaintainedBy
 - SignificantWaveHeight
 - SwellDirection
 - SwellHeight
 - SwellPeriod
 - WaveSteepness
 - WindWaveHeight
 - WindWavePeriod
 - WindWaveToDirection
 - Spatial
 - Altitude

Concept Details Buoy Map Visualization

Address: Coordinates: (25.17,-94.42)

Enter an address to geocode:

Service Info **Sensor Info** **Sensor Query**

`<?xml version="1.0" encoding="UTF-8"?>
<sos:Capabilities
version="@SERVICE_VERSION@"
updateSequence="2005-12-14T10:12:39"
xsi:schemaLocation="http://www.opengeospatial.net/sos http://mars.uni-wuerzburg.de/arcxml/trunk/sos/0.0.21/"`

Map data ©2007 Tele Atlas - [Terms of Use](#)

SPARQL Query Results(XML) Table

osem.erc.msstate.edu/ontologies/cosemont.owl#stationID_41041	ARES	14
osem.erc.msstate.edu/ontologies/cosemont.owl#stationID_42001	VEEP	43
osem.erc.msstate.edu/ontologies/cosemont.owl#stationID_42002	MARS	25
osem.erc.msstate.edu/ontologies/cosemont.owl#stationID_42003	VEEP	61
osem.erc.msstate.edu/ontologies/cosemont.owl#stationID_42004	MVXII	27
osem.erc.msstate.edu/ontologies/cosemont.owl#stationID_42005	MVXII	30

Sensor Web Query Results(XML)

Parameters

Offerings

windDirection
windSpeed
windGust
waveHeight
dominantWavePeriod

Stations

EB53
42007
EB92
42016
42039

Temporal Subset

Duration Comparison Filter Spatial Subset

Temporal Subsetting


None
After
Before
During
TEquals

Time period

2007 07 27 15 50 00

XML Query

`<?xml version="1.0" encoding="UTF-8"?>
<GetObservation
xmlns="http://www.opengeospatial.net/sos"
xmlns:gml="http://www.opengis.net/gml"
xmlns:ogc="http://www.opengis.net/ogc"
xmlns:ows="http://www.opengeospatial.net/ows"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opengeospatial.net/sos http://www.opengeospatial.net/sos/0.0.21/"`



(a)

(b)

(c)

(d)


(e)



Heterogeneities in Classification Systems

- ❑ The problem is finding the right data that matches a given criteria.
- ❑ Classification systems exist in several domains and also unique to different countries.
- ❑ Information is normally disseminated through classification
 - ❑ Land Cover
 - International Geosphere Biosphere Programme (IGBP)
 - United States Geological Survey (USGS)
 - Olson Global Ecosystems (OGE)
 - Simple Biosphere model (SiB)
 - Simple Biosphere 2 (SiB2)
 - Biosphere Atmosphere Transfer Scheme (BATS)
 - ❑ Soils
 - natural resources conservation service (NRCS)
 - Canadian soil classification system
 - Unified soil classification system
 - ❑ Wetlands
 - U.S. Fish and wildlife service
 - USGS wet land classification
 - Ramsar classification system
 - Cowardian system

Semantic conflicts between classification systems (IGBP and SiB)



International Geosphere Biosphere Programme (IGBP) Simple Biosphere model (SiB)

International Geosphere Biosphere Programme (IGBP) Ontology



Defined concept (mixed forest) formulated by defining necessary and sufficient conditions in a IGBP ontology



Thank you

Spatial Decision Support Systems (SDSS)

Information Systems are of two types

➤ Transaction processing systems

- Emphasis on recording, updating and retrieving as per the occurrence of operations
- Operate in on-line or batch mode and follows well defined procedures

Example : Banking and Airline Reservation Systems



➤ Decision Support System

- Emphasis on manipulation, analysis and particularly modeling to support decision makers.
- Used in market analysis, resources planning, defence etc.

GIS belongs to the second type!

DECISION SUPPORT SYSTEM

FLOOD WATCH SYSTEM



Applications

Many Applications of network routing


Examples: Online Map service, phone service, transportation navigation service

□ Identification of frequent routes

- Crime Analysis

□ Identification of congested routes

- Network Planning



Spatial Decision Support

- ❑ Many times decisions have to be taken by administrators
 - Cannot **satisfy** all stakeholders
 - Cannot **find** money for entire needs
 - Cannot **complete** the task within a given time
 - Cannot **protect** environment while carrying out development projects
- ❑ Environment related issues are most controversial, requiring most spatial inputs

Spatial Decision Support

- ❑ Use of GIS for environmental/resources management applications includes:
 1. Data management
 2. Data Assessment
 3. Modelling and spatial analysis
 4. Management and decision support
- ❑ Applications 1 thru 3 culminate in 4... the end use?

Application or decision support?

- ❑ An application may end at any point
 - Spatial / attribute data creation end at 1
 - descriptive/mapping exercise may end at 2
 - predictive modelling exercise may end at 3
 - BUT they must start at 1 and work through these stages in sequence
- ❑ The ultimate end application must be decision making (i.e. management) and use in support of decisions made

Example:

Environmental Management

□ Aims of environmental management:

- to prevent environmental deterioration and degradation
- to promote sustainable use of the environment
- to prevent over use or exploitation of natural resources
- to preserve environmental diversity

□ Objectives of environmental management:

- to control the environment and/or our influences upon the environment via direct or indirect action
- i.e. putting environmental science to work!

Decision making or support?

- ❑ Decision making vs decision support
 - GIS can provide certain tools for assisting in the decision making process
 - i.e. maps/displays as means of visualising the problem
 - overlays as means of defining relationships
 - modelling as means of predicting outcomes etc.

...the answer

- ❑ GIS functions on their own are NOT decision making tools...
 - (i.e. they only ASSIST in the decision making process)
 - ...therefore, GIS is not a decision making tool, it is a decision SUPPORT tool

Decision making

□ Decision making:

- a decision is a **choice between alternatives** to meet specific objectives
- the alternatives may represent:
 - different courses of action
 - different hypotheses
 - different use of a geographical entity etc.

Decision objectives

- ❑ Objectives are governed by management goals and in turn determine the range of alternatives
 - e.g. identify areas of high risk in soil erosion example in order to address the goal of preventing soil erosion
 - resulting alternatives may be different maps representing different management plans
- ❑ Process, governing the way decisions between alternatives are made, is the “decision rule”

Applications of Local Operations

Soils:

- ❑ Revised Universal Soil Loss Equation (RUSLE) uses six environmental factors in the equation:

$$A = R K L S C P$$

A=average soil loss

R=rainfall-runoff erosivity factor

K=soil erodibility factor

L=slope length factor

S=slope steepness factor

C=crop management factor

P=support practice factor

- ❑ Each factor can be prepared as as an input raster.

- Multiply the rasters in a local operation to produce the output raster average soil loss.



<http://www.scotland.gov.uk/Resource/Img/47121/0020519.jpg>




Definition of a DSS

□ In general terms, DSS are:

- computer-based systems
- **dedicated to a restricted but well defined area of application**
- systems incorporating modelling and analysis with data and database management systems
- systems which do not make decisions, but facilitate logistics of decision making process
- **interactive systems that help decision maker carry out a decision research**
- providers of custom-built information
- **providers of user-friendly GUI with short response times**

Developing Spatial DSS

- ❑ The role of GIS?
 - GIS is an INCREDIBLY USEFUL tool
 - SDSS retains the general characteristics of basic DSS but in addition they include:
 - spatial data input capabilities
 - storage of complex structures common in spatial data
 - analytical techniques unique to spatial data
 - cartographic output
- ❑ An agricultural SDSS might be comprised of:
 - climatic and economic models
 - GIS software
 - spatial data



http://www.impetus.uni-koeln.de/uploads/pics/projekt_konzepte_dss_02.png

SDSS Components


SDBMS - locational, topological and thematic data types to support cartographic display, spatial query, analytical modeling


MBMS - model base management system to support statistical and numerical models which stores models instead of data

Each model may be a small piece of code to solve a part of an algorithm

SDSS Components

- ☐ Knowledge based reasoning, image processing may be part of the MBMS
- ☐ Graphical and tabular report generators
- ☐ 2-d and 3-d displays
- ☐ Bar charts, pie-charts, scatter plots, line plots, ...
- ☐ Application specific plots and reports





3D visualization is used to show community members how a proposed development would change the landscape.

Credit: Environmental Simulation Center, 2004.